

Rabbit Anti-Human Placental Alkaline Phosphatase Monoclonal Antibody(Spermatogenium)

Cat. No. CAB-920RH **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	Rabbit
Specificity	Human Placental Alkaline Phosphatase
Clonality	Monoclonal
Positive Control	Spermatogenium
Staining Pattern	Cell membrane
Specificity Note	The placental-specific isozyme of Alkaline Phosphatase (PLAP) is found in trophoblast cells of normal human mature placenta, seminomas of testis and ovarian carcinomas. Detection of alkaline phosphatase in serum is a marker for ovarian and testicular cancer
Applications	Formalin-fixed paraffin-embedded tissue, or IHC frozen sections. No antigen retrieval necessary.
Recommended Usage	IHC test, research use only. Incubate with samples at RT for 60min or at 4°C overnight.
Storage	2-8°C for 12 months.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Unit Can be packed on the basis of your request.

GENE INFORMATION

Gene Name [ALPP alkaline phosphatase, placental \(Regan isozyme\) \[Homo sapiens \]](#)

Synonyms ALPP; alkaline phosphatase, placental (Regan isozyme); ALP; PALP; PLAP; FLJ61142; Alkaline phosphatase, placental type; PLAP-1; Alkaline phosphatase Regan isozyme; EC 3.1.3.1; glycerophosphatase; placental alkaline phosphatase; alkaline phosphomonoesterase

Gene ID [250](#)

mRNA Refseq [NM_001632](#)

Protein Refseq [NP_001623](#)

MIM [171800](#)

UniProt ID [P05187](#)

Chromosome Location 2q37

Pathway Folate biosynthesis; Metabolic pathways; gamma-Hexachlorocyclohexane degradation

Function alkaline phosphatase activity; hydrolase activity; magnesium ion binding; zinc ion binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA