

Recombinant Human DDIT3 Protein, GST/His-tagged

Cat. No. DDIT3-217H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human DDIT4L fused with N-terminal GST and C-terminal His was expressed in E. coli.
Species	Human
Source	E.coli
Description	This gene encodes a member of the CCAAT/enhancer-binding protein (C/EBP) family of transcription factors. The protein functions as a dominant-negative inhibitor by forming heterodimers with other C/EBP members, such as C/EBP and LAP (liver activator protein), and preventing their DNA binding activity. The protein is implicated in adipogenesis and erythropoiesis, is activated by endoplasmic reticulum stress, and promotes apoptosis. Fusion of this gene and FUS on chromosome 16 or EWSR1 on chromosome 22 induced by translocation generates chimeric proteins in myxoid liposarcomas or Ewing sarcoma. Multiple alternatively spliced transcript variants encoding two isoforms with different length have been identified.
Form	25mM Tris, pH8.0,150mM NaCl,10% glycerol,1% Sarkosyl.
Molecular Mass	45 kDa
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration	>50 ug/mL as determined by microplate BCA method

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION

Gene Name	DDIT3 DNA-damage-inducible transcript 3 [Homo sapiens]
Official Symbol	DDIT3
Synonyms	DDIT3; DNA-damage-inducible transcript 3; DNA damage-inducible transcript 3 protein; C/EBP zeta; CHOP; CHOP10; GADD153; DDIT-3; c/EBP-homologous protein 10; CCAAT/enhancer-binding protein homologous protein; growth arrest and DNA damage-inducible protein GADD153; CEBPZ; CHOP-10; MGC4154;
Gene ID	1649
mRNA Refseq	NM_004083
Protein Refseq	NP_004074
MIM	126337
UniProt ID	P35638

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA