

Recombinant Human CDKN2D Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. CDKN2D-5118H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	CDKN2D MS Standard C13 and N15-labeled recombinant protein (NP_001791) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase inhibitors. This protein has been shown to form a stable complex with CDK4 or CDK6, and prevent the activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle G1 progression. The abundance of the transcript of this gene was found to oscillate in a cell-cycle dependent manner with the lowest expression at mid G1 and a maximal expression during S phase. The negative regulation of the cell cycle involved in this protein was shown to participate in repressing neuronal proliferation, as well as spermatogenesis. Two alternatively spliced variants of this gene, which encode an identical protein, have been reported.
Molecular Mass	17.5 kDa
AA Sequence	MLLEEVRA GDRLSGAAARGDVQEVRRLLHREL VHPDALNRF GK TALQVMMFGSTAI ALELLKQGASPNVQDTSGTSPVHDAARTGFLDTLKV LVEHGADVNVDPDGTGALPIHL AVQEGHTAVVSFLAAESDLHRRDARGLTPLELALQ RGAQDLVDILQGHMVAPLTRT RPLEQKLISEEDLAANDILDYKDDDDKV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name	CDKN2D cyclin dependent kinase inhibitor 2D [Homo sapiens (human)]
Official Symbol	CDKN2D
Synonyms	CDKN2D; cyclin-dependent kinase inhibitor 2D (p19, inhibits CDK4); cyclin-dependent kinase 4 inhibitor D; INK4D; p19; CDK inhibitor p19INK4d; inhibitor of cyclin-dependent kinase 4d; cyclin-dependent kinase 4 inhibitor D p19; cell cycle inhibitor, Nur77 associating protein; p19-INK4D;
Gene ID	1032
mRNA Refseq	NM_001800
Protein Refseq	NP_001791
MIM	600927
UniProt ID	P55273

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA