

Recombinant Human HDAC3 and NCOR2 Protein, His/GST-tagged

Cat. No. HDAC3-162H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Complex of full-length recombinant C-terminal His-tagged HDAC3 and recombinant N-terminal GST-tagged NCOR2 amino acids 395-489, co-expressed in baculovirus expression system.
Species	Human
Source	Insect Cells
Description	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to the histone deacetylase/acuc/apha family. It has histone deacetylase activity and represses transcription when tethered to a promoter. It may participate in the regulation of transcription through its binding with the zinc-finger transcription factor YY1. This protein can also down-regulate p53 function and thus modulate cell growth and apoptosis. This gene is regarded as a potential tumor suppressor gene.
Molecular Mass	49.7 kDa (HDAC3); 37.6 kDa (NCOR2)
Purity	≥90%
Unit Definition	One unit is the amount of enzyme required to release 1 pmol of acetate per minute at 37 centigrade in 25 mM Tris/HCl, pH 8.0, 137 mM NaCl, 2.7 mM KCl, 1 mM MgCl ₂ , 0.1 mg/mL BSA, and 20

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

μM fluorogenic HDAC substrate 3.

Storage Buffer

40 mM Tris-HCl, pH 8.0, 110 mM sodium chloride, 2.2 mM potassium chloride, 250 mM imidazole, and 20% glycerol

GENE INFORMATION

Gene Name

HDAC3 histone deacetylase 3 [Homo sapiens (human)]

Official Symbol

HDAC3

Synonyms

HDAC3; histone deacetylase 3; HD3; RPD3; KDAC3; RPD3-2; histone deacetylase 3; SMAP45; EC 3.5.1.98

Gene ID

8841

mRNA Refseq

NM_003883

Protein Refseq

NP_003874

MIM

605166

UniProt ID


O15379

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

HDAC3/NCOR2 Deacetylase Activity



SDS-PAGE Analysis of HDAC2



Lane 1: MW Markers

Lane 2: HDAC3/NCOR2(4 µg)

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA