

Recombinant Human GREM1 Protein, Fc-tagged

Cat. No. GREM1-495H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human GREM1 protein with a Fc tag
Species	Human
ProteinLength	184
Description	This gene encodes a member of the BMP (bone morphogenic protein) antagonist family. Like BMPs, BMP antagonists contain cystine knots and typically form homo- and heterodimers. The CAN (cerberus and dan) subfamily of BMP antagonists, to which this gene belongs, is characterized by a C-terminal cystine knot with an eight-membered ring. The antagonistic effect of the secreted glycosylated protein encoded by this gene is likely due to its direct binding to BMP proteins. As an antagonist of BMP, this gene may play a role in regulating organogenesis, body patterning, and tissue differentiation. In mouse, this protein has been shown to relay the sonic hedgehog (SHH) signal from the polarizing region to the apical ectodermal ridge during limb bud outgrowth. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Form	Lyophilized
AA Sequence	MSRTAYTVGALLLLGTLTPAAEGKKKGSQGAIPPPDKAQHNDSEQTQSPQQPGSR NRGRGQGRGTAMPGEEVLESSQEALHVTERKYLKRDWCKTQPLKQTIHEEGCNSR TIINRFCYGCNSFYIPRHIRKEEGSFQSCSFCKPKKFTTMMVTLNCPQLPPTKKKR VTRVKQCRCSIDL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	GREM1 gremlin 1 [Homo sapiens (human)]
Official Symbol	GREM1
Synonyms	GREM1; gremlin 1; CKTSF1B1, cysteine knot superfamily 1, BMP antagonist 1 , gremlin 1, cysteine knot superfamily, homolog (Xenopus laevis); gremlin-1; DAND2; DRM; gremlin; gremlin 1-like protein; DAN domain family member 2; increased in high glucose-2; proliferation-inducing gene 2; increased in high glucose protein 2; cell proliferation-inducing gene 2 protein; cysteine knot superfamily 1, BMP antagonist 1; gremlin 1, cysteine knot superfamily, homolog; down-regulated in Mos-transformed cells protein; PIG2; IHG-2; GREMLIN; CKTSF1B1; MGC126660;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	26585
mRNA Refseq	NM_001191322
Protein Refseq	NP_001178251
MIM	603054
UniProt ID	O60565

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA