

Active Recombinant Human FCGR2A, His-tagged

Cat. No. FCGR2A-161H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human FCGR2A (Accession # AAA35827) Ala36-Ile218, fused with a C-terminal 10-His tag, was produced in Mouse myeloma cell line, NS0-derived.
Species	Human
Source	Mammalian Cells
ProteinLength	36-218 a.a.
Predicted N Terminal	Ala36
Form	Lyophilized from a 0.2 µm filtered solution in PBS with BSA as a carrier protein.
Bio-activity	Measured by its ability to bind human IgG with an estimated KD <80 nM.
Molecular Mass	Recombinant Human FCGR2A, His-tagged has a calculated MW of 22 kDa. In SDS-PAGE migrates as 32 kDa, reducing conditions.
Purity	>95%, by SDS-PAGE under reducing conditions and visualized by silver stain.
Storage	Avoid repeated freeze-thaw cycles. No activity loss was observed after storage at: In lyophilized state for 1 year (4°C); After reconstitution under sterile conditions for 3 months (-70°C).
Reconstitution	Reconstitute at 10 µg/mL in sterile PBS containing at least 0.1% human or bovine

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

serum albumin.

GENE INFORMATION

Gene Name	FCGR2A Fc fragment of IgG, low affinity IIa, receptor (CD32) [Homo sapiens]
Official Symbol	FCGR2A
Synonyms	FCGR2A; Fc fragment of IgG, low affinity IIa, receptor (CD32); Fc fragment of IgG, low affinity IIa, receptor for (CD32) , FCG2, FCGR2, FCGR2A1; low affinity immunoglobulin gamma Fc region receptor II-a; CD32; CD32A; CDw32; IGFR2; Immunoglobulin G Fc receptor II; fcRII-a; fc-gamma-RIIa; fc-gamma RII-a; igG Fc receptor II-a; FCG2; FcGR; FCGR2; FCGR2A1; MGC23887; MGC30032;
Gene ID	2212
mRNA Refseq	NM_001136219
Protein Refseq	NP_001129691
MIM	146790
UniProt ID	P12318
Chromosome Location	1q23

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA